



Dimension			Bearing Number			Load Rating		Limiting Speed		Mass
d	D	B	With Flat Seat	With Aligning Seat	With Aligning Seat Washer	Dynamic Cr	Static Cor	Grease	Oil	Approx
mm	mm	mm				(N)	(N)	(rpm)	(rpm)	(kg)
10	24	9	51100	-	-	7474	10360	4958	7400	0.02
10	26	11	51200	53200	U 200	9472	12654	4440	6660	0.03
12	26	9	51101	-	-	7696	11396	4958	7400	0.02
12	28	11	51201	53201	U 201	9842	14060	4144	6290	0.03
15	28	9	51102	-	-	7844	12432	4662	7030	0.02
15	32	12	51202	53202	U 202	12358	18352	3700	5550	0.05
17	30	9	51103	-	-	8436	14430	4440	6660	0.03
17	35	12	51203	53203	U 203	12802	20202	3552	5550	0.05
20	35	10	51104	-	-	11174	19684	3922	5920	0.04
20	40	14	51204	53204	U 204	16650	27750	3182	4662	0.08
25	42	11	51105	-	-	14578	27380	3552	5254	0.06
25	47	15	51205	53205	U 205	20720	37370	2812	4144	0.11
25	52	18	51305	53305	U 305	26640	45510	2368	3700	0.17
25	60	24	51405	53405	U 405	41440	66230	1924	2960	0.33
30	47	11	51106	-	-	15244	31080	3182	4958	0.06
30	52	16	51206	53206	U 206	21830	42920	2516	3922	0.14
30	60	21	51306	53306	U 306	31820	58090	2072	3182	0.27
30	70	28	51406	53406	U 406	54020	93240	1628	2516	0.52
35	52	12	51107	-	-	16354	36630	2960	4440	0.08
35	62	18	51207	53207	U 207	29230	57720	2220	3330	0.22
35	68	24	51307	53307	U 307	41440	77700	1776	2812	0.39
35	80	32	51407	53407	U 407	64750	114700	1480	2220	0.77
40	60	13	51108	-	-	20054	46620	2664	3922	0.12
40	68	19	51208	53208	U 208	35150	72890	2072	3182	0.28
40	78	26	51308	53308	U 308	51800	99900	1628	2516	0.54
40	90	36	51408	53408	U 408	76220	139120	1258	1924	1.10
45	65	14	51109	-	-	20794	51060	2516	3700	0.14
45	73	20	51209	53209	U 209	35520	51060	2516	3700	0.30
45	85	28	51309	53309	U 309	59570	120620	1480	2220	0.67
45	100	39	51409	53409	U 409	94720	182040	1184	1776	1.46



Dimension			Bearing Number			Load Rating		Limiting Speed		Mass
d	D	B	With Flat Seat	With Aligning Seat	With Aligning Seat Washer	Dynamic Cr	Static Cor	Grease	Oil	Approx
mm	mm	mm				(N)	(N)	(rpm)	(rpm)	(kg)
50	70	14	51110	-	-	21460	55870	2368	3552	0.15
50	78	22	51210	53210	U 210	36260	82140	1776	2664	0.38
50	95	31	51310	53310	U 310	72150	149480	1332	2072	0.93
50	110	43	51410	53410	U 410	108780	213120	1036	1628	1.94
55	78	16	51111	-	-	25900	68820	2072	3182	0.23
55	90	25	51211	53211	U 211	51800	117660	1628	2368	0.60
55	105	35	51311	53311	U 311	85100	180560	1184	1776	1.30
55	120	48	51411	53411	U 411	133940	259000	962	1406	2.58
60	85	17	51112	-	-	30710	83620	1924	2960	0.28
60	95	26	51212	53212	U 212	52910	125060	1480	2220	0.67
60	110	35	51312	53312	U 312	88060	194620	1184	1776	1.40
60	130	51	51412	53412	U 412	149480	292300	888	1332	3.16
65	90	18	51113	-	-	31080	86580	1776	2812	0.32
65	100	27	51213	53213	U 213	55870	139860	1406	2072	0.76
65	115	36	51313	53313	U 313	91020	208680	1110	1776	1.50
65	140	56	51413	53413	U 413	173160	366300	814	1258	4.10
70	95	18	51114	-	-	32190	93980	1776	2664	0.35
70	105	27	51214	53214	U 214	54760	139860	1406	2072	0.79
70	125	40	51314	53314	U 314	101380	233100	1036	1480	2.00
70	150	60	51414	53414	U 414	186480	410700	740	1110	5.05
75	100	19	51115	-	-	32190	96940	1628	2516	0.40
75	110	27	51215	53215	U 215	57720	154660	1332	2072	0.85
75	135	44	51315	53315	U 315	117660	270100	962	1406	2.60
75	160	65	51415	53415	U 415	187960	414400	703	1036	6.15
80	105	19	51116	-	-	33300	104340	1628	2516	0.42
80	115	28	51216	53216	U 216	58460	161320	1332	1924	0.93
80	140	44	51316	53316	U 316	121360	292300	962	1406	2.70
80	170	68	51416	53416	U 416	201280	458800	666	962	7.21
85	110	19	51117	-	-	34410	11100	1628	2368	0.44
85	125	31	51217	53217	U 217	71040	195360	1184	1776	1.20
85	150	49	51317	53317	U 317	153180	362600	814	1258	3.55
85	180	72	51417	53417	U 417	229400	558700	629	962	8.51



Dimension			Bearing Number			Load Rating		Limiting Speed		Mass
d	D	B	With Flat Seat	With Aligning Seat	With Aligning Seat Washer	Dynamic Cr	Static Cor	Grease	Oil	Approx
mm	mm	mm				(N)	(N)	(rpm)	(rpm)	(kg)
90	120	22	51118	-	-	44400	140600	1406	2220	0.65
90	130	35	51218	53218	U 218	84360	229400	1036	1628	1.70
90	155	50	51318	53318	U 318	158360	388500	814	1258	3.80
90	190	77	51418	53418	U 418	244200	610500	592	888	10.20
100	135	25	51120	-	-	63640	198320	1258	1924	0.97
100	150	38	51220	53220	U 220	99900	277500	962	1480	2.25
100	170	55	51320	53320	U 320	176860	440300	740	1110	4.95
100	210	85	51420	53420	U 420	273800	728900	525.4	814	14.80